

# AUCMA

# PRODUCT CATALOGUE

Chest Freezer, Upright Showcase Freezer,  
Upright Showcase Chiller, Kitchen Refrigerator & Freezer,  
Ice Machine, Wine Cooler, LTUF, Chocolate Chiller,  
Open Showcase, Vending Machine, Etc.



GRAHA TEKNIK MANDIRI



# Strive For Continuous Improvement

Established in 2018, **PT Graha Teknik Mandiri** is engaged in refrigeration and freezer business. We are trusted to be **Indonesian Distributor of AUCMA** an expert in refrigeration appliances. Our mission is to provide the best quality of refrigeration equipment for our customers.



PT Graha Teknik Mandiri is persistent in every process to ensure fulfilling customer's needs because customer's satisfaction and trust are our priority.

PT Graha Teknik Mandiri provides various types of refrigerators such as chest freezer, beverage cooler, and counter top freezer for supermarket, grocery store, hotel, fruit shop, bakery, cake shop, and others including complete support of after sales service.



## Service Representative

- Medan
- Palembang
- West Java
- Yogyakarta
- Pontianak
- Balikpapan
- Makassar
- Batam
- Lampung
- Jakarta
- East Java
- Banjarmasin
- Manado
- Kendari
- Pekanbaru
- Banten
- Central Java
- Bali
- Samarinda
- Gorontalo
- Irian Jaya



- ✓ Professional & Well-trained Technician
- ✓ Spare Part Availability
- ✓ Service Support Covering All Over Indonesia
- ✓ Fast On Call Service Responce
- ✓ Preventive Maintenance
- ✓ Technical Installation Support



# CHEST FREEZER

## FEATURES

- ✔ Rapid Cooling System
- ✔ Easy-Operate Mechanical Controller
- ✔ Equipped With Door Lock & Wheels
- ✔ LED Lamp With Soft Brightness
- ✔ Easy Open Door System
- ✔ High Quality Material Selection
- ✔ Full Sticker Branding (Optional)



MODEL	BD310-SBID	BD325NA-SBID	BD551A-SBID	BD661A-SBID	BD820NA-SBID	BD1208-SBID
REFRIGERANT	R600A	R600A	R290	R290	R290	R290
GROSS CAPACITY (L)	305	325	500	600	818	1208
NET CAPACITY (L)	275	315	428	519	742	1066
G/N WEIGHT (KG)	48,5/42,5	58/51	69/63	77/70	116/102	144/128
PRODUCT SIZE (MM)	114*554*845	1110*754*845	1412*713*845	1663*713*845	2415*725*842	3017*749*902
TEMP (°C)	≤ -18°C	≤ -18°C	≤ -18°C	≤ -18°C	≤ -18°C	≤ -18°C

# CHEST FREEZER GLASS DOOR

## FEATURES

- ✔ Rapid Cooling System
- ✔ LED Lamp
- ✔ Equipped With Wheels & Lock
- ✔ Easy-Operate Sliding Glass Door
- ✔ User Friendly Mechanical Controller
- ✔ Include Basket For Product Storage
- ✔ Full Sticker Branding (Optional)



MODEL	SD110A-SBID	SD200F-SBID	SD300F-SBID	SD400F-SBID	SD500F-SBID	SD600F-SBID
REFRIGERANT	R600A	R600A	R290	R290	R290	R290
GROSS CAPACITY (L)	97	200	300	400	500	600
NET CAPACITY (L)	77	156	215	275	337	403
G/N WEIGHT (KG)	38/35	49/45	61/56	72/65	82/73	91/81
PRODUCT SIZE (MM)	600*522*825	934*574*825	1014*694*825	1222*694*825	1434*694*825	1664*694*825
TEMP (°C)	≤ -26°C	≤ -26°C	≤ -26°C	≤ -26°C	≤ -26°C	≤ -26°C



**FEATURES**

- ✔ Rapid Cooling System
- ✔ LED Lamp, Lock & Wheels
- ✔ Smooth Opening For Glass Door
- ✔ Curve Glass Door
- ✔ Easy Operate Mechanical Controller

- ✔ Dual Compressor
- ✔ Wide Product Display
- ✔ 3 Flat Sliding Glass Door



MODEL	SD152-SBID	SD180-SBID	SD280-SBID	SD330-SBID	SD520-SBID	SD751G-SBID
REFRIGERANT	R290	R290	R290	R290	R290	R290
GROSS CAPACITY (L)	152	180	280	330	520	728
NET CAPACITY (L)	110	122	177	214	345	516
G/N WEIGHT (KG)	53/46	-	57/51	71/63	95/85	155/132
PRODUCT SIZE (MM)	584*694*927	756*656*839	986*656*766	1224*654*820	1665*695*876	1997*1023*868
TEMP (°C)	≤ -26°C	-10°~-30°C	-10°~-30°C	≤ -26°C	≤ -26°C	≤ -26°C

**FEATURES**

- ✔ 4 Sliding Glass Door
- ✔ Copper Tube Evaporator
- ✔ Digital Controller And Thermometer
- ✔ LED Lamp & Wheels
- ✔ Suitable For Ice Cream



MODEL	SD1808V-SBID
REFRIGERANT	R290
GROSS CAPACITY (L)	399
NET CAPACITY (L)	363
G/N WEIGHT (KG)	230/218
PRODUCT SIZE (MM)	1824*804+(16)*1200
TEMP (°C)	≤ -18°C

**FEATURES**

- ✔ Digital Controller And Thermometer
- ✔ Auto Defrost
- ✔ Durable Compressor
- ✔ Thermal Reflective Glass Door



MODEL	SD1850B-SBID	SD2100B-SBID
REFRIGERANT	R290	R290
GROSS CAPACITY (L)	780	850
NET CAPACITY (L)	750	830
G/N WEIGHT (KG)	155/120	180/135
PRODUCT SIZE (MM)	1850*850*980	2100*850*980
TEMP (°C)	≤ -18°C	≤ -18°C



**FEATURES**

- ✔ Low E Tempered Sliding Glass Door
- ✔ Easy Operated Mechanical Controller
- ✔ Basket For Product
- ✔ Include Lamp And Wheels



MODEL	SD300B-SBID	SD400B-SBID	SD500B-SBID	SD600B-SBID	SD700B-SBID
REFRIGERANT	R290	R290	R290	R290	R290
GROSS CAPACITY (L)	300	400	500	600	700
NET CAPACITY (L)	300	400	500	-	700
G/N WEIGHT (KG)	64	73	84	93/82	104
PRODUCT SIZE (MM)	1000*695*850	1250*695*850	1500*695*850	1750*695*850	2000*695*850
TEMP (°C)	≤-18°C	≤-18°C	≤-18°C	≤-18°C	≤-18°C

**FEATURES**

- ✔ Tempered Glass With Reflective Heat Glass Door
- ✔ Wheels For Easy Placement
- ✔ LED Lamp
- ✔ Sticker For Branding (Optional)



MODEL	SD606-TG	SD406-TG
REFRIGERANT	R290	R290
GROSS CAPACITY (L)	137	137
NET CAPACITY (L)	456	456
G/N WEIGHT (KG)	136/122	136/122
PRODUCT SIZE (MM)	1895*730*1045 (with feet 50mm,without wheel wheel high 100mm)	1895*730*1045 (with feet 50mm,without wheel wheel high 100mm)
TEMP (°C)	-10~-30°C	-10~-30°C

# UPRIGHT SHOWCASE FREEZER

## FEATURES

- ✔ Compact Upright Showcase Freezer
- ✔ Tempered Glass Door
- ✔ 3 Layers Glass Door
- ✔ Embedded Door Handle
- ✔ Easy Operate Mechanical Controller
- ✔ LED Lamp



## MODEL

**SD92-SBID**

## REFRIGERANT

R134A

## GROSS CAPACITY (L)

92

## NET CAPACITY (L)

87

## G/N WEIGHT (KG)

42/36

## PRODUCT SIZE (MM)

595\*520\*675

## TEMP (°C)

≤ -18°C

## FEATURES

- ✔ 3 Layers Tempered Glass Door With Low E Coating
- ✔ Durable Compressor
- ✔ Environmentally Friendly Refrigerant
- ✔ LED Lamp & Wheels
- ✔ Digital Controller And Thermometer
- ✔ Rapid Freezing Performance
- ✔ Self-Evaporated
- ✔ Auto Defrost



MODEL	SD400-SBID	SD942-SBID	SD1380-SBID
REFRIGERANT	R290	R290	R290
GROSS CAPACITY (L)	487	942	1380
NET CAPACITY (L)	397	818	1175
G/N WEIGHT (KG)	110/101	191.5/170	260/240
PRODUCT SIZE (MM)	680*700*2020	1215*700*2020	1830*700*2020
TEMP (°C)	≤ -22°C	≤ -22°C	≤ -22°C

# UPRIGHT SHOWCASE CHILLER

## FEATURES

- ✔ Double Layer Glass Door
- ✔ Electronic Controller
- ✔ LED Lamp
- ✔ Equipped With Canopy (Separate)
- ✔ Universal And Directional Wheels
- ✔ Suitable For Dairy Products



MODEL	SC-246	SC-286	SC-336
REFRIGERANT	R600A	R600A	R600A
GROSS CAPACITY (L)	246	286	336
NET CAPACITY (L)	200	240	300
G/N WEIGHT (KG)	54/48	57/50	66/58
PRODUCT SIZE (MM)	560*55*(1349+251)	560*550*(1529+253)	560*590*(1704+253)
TEMP (°C)	2-6°C	2-6°C	2-6°C

## FEATURES

- ✔ Compact Design
- ✔ Tempered Glass Door
- ✔ Compressor Cooling System
- ✔ LED Lamp With Adjustable Feet
- ✔ Built-In Handle

- ✔ Double Layer Glass Door
- ✔ Easy Operate Mechanical Control
- ✔ Environmentally Friendly Refrigerant
- ✔ Built-In Handle



MODEL	SC50-SBID	SC60-SBID	SC65-SBID	SC85-SBID	SC115-SBID
REFRIGERANT	R600A	R600A	R600A	R600A	R600A
GROSS CAPACITY (L)	50	60	65	85	115
NET CAPACITY (L)	46	58	65	85	115
G/N WEIGHT (KG)	23/21	24/22	35/31	39/35	44/35.5
PRODUCT SIZE (MM)	475*435*520	480*520*525	470*535*658	470*535*812	470*535*1017
TEMP (°C)	0~10 °C	0~10 °C	0~10 °C	0~10 °C	0~10 °C



**FEATURES**

- ✔ Low Power Consumption (Inverter Type Available)
- ✔ Low E Glass Door
- ✔ LED Lamp
- ✔ Lock And Wheels Included
- ✔ Digital Controller And Thermometer
- ✔ Self-Evaporating
- ✔ Complete With Canopy
- ✔ Rapid Cooling System



(SC400-Standard)  
(SC400P-Inverter)



(SC500-Standard)  
(SC500P-Inverter)



(SC1000T-Standard)  
(SC1000TP-Inverter)



(SC1500T-Standard)  
(SC1500TP-Inverter)

MODEL	SC400/SC400P	SC500/SC500P	SC1000T/SC1000TP	SC1500T/SC1500TP
REFRIGERANT	R290	R290	R290	R290
GROSS CAPACITY (L)	420	489	1000	1500
NET CAPACITY (L)	376	440	900	1350
G/N WEIGHT (KG)	72/63,5	87/79	210/190	249/230
PRODUCT SIZE (MM)	600*700*2020	680*700*2020	1215*730*2050	1830*730*2050
TEMP (°C)	2~8 °C	2~8 °C	1-10°C	1-10°C



**FEATURES**

- ✔ Double Layer Glass Door
- ✔ Easy Operate Mechanical Control
- ✔ Environmentally Friendly Refrigerant
- ✔ Built-In Handle

MODEL	SC165E-SBID	SC285E-SBID	SC385E-SBID
REFRIGERANT	R600A	R600A	R600A
GROSS CAPACITY (L)	165	285	385
NET CAPACITY (L)	165	285	385
G/N WEIGHT (KG)	51/46	67/59	78/69
PRODUCT SIZE (MM)	500*578*1365	560*618*1660	645*618*1900
TEMP (°C)	0~10 °C	0~10 °C	0~10 °C



**FEATURES**

- ✔ Double Layer Glass Door
- ✔ Easy Operate Mechanical Control
- ✔ Environmentally Friendly Refrigerant
- ✔ Built-In Handle



MODEL	SC180-SBID	SC-179-SBID	SC-219-SBID	SC-419-SBID
REFRIGERANT	R600A	R290	R290	R290
GROSS CAPACITY (L)	180	180	220	410
NET CAPACITY (L)	150	165	202	377
G/N WEIGHT (KG)	47/40	41/37	46/42	72/65
PRODUCT SIZE (MM)	525*550*1290	525*560*1520	525*560*1710	680*560*1930
TEMP (°C)	1-10°C	1-10°C	1-10°C	1-10°C

# 4-GLASS SHOWCASE

**FEATURES**

- ✔ Digital Controller And Thermometer
- ✔ Double Glazed Tempered Glass With Low E
- ✔ 4 Pcs LED Light
- ✔ Wheels For Easy Placement



MODEL	SC-62A
REFRIGERANT	R600A
GROSS CAPACITY (L)	62
NET CAPACITY (L)	60
G/N WEIGHT (KG)	52/40
PRODUCT SIZE (MM)	370*406*800
TEMP (°C)	0-12 °C

# KITCHEN REFRIGERATOR AND FREEZER (WITH DRAWER)

## FEATURES

- ✔ Full Stainless Steel For External And Internal Material
  - ✔ High Efficient Compressor
  - ✔ Electric Thermostat
  - ✔ Temperature Display
  - ✔ Electric Heating
  - ✔ Self-Evaporating
  - ✔ Wheels For Easy Placement
- Suitable To Keep Fruits, Vegetables, Meat, Fish, Frozen Food, Dairy, Etc. To Be Use In Kitchen, Hotels, Canteen, Restaurants, Central Kitchen, Etc.



MODEL	ACMKR-DAH1.0II	ACMKR-DAL1.0II
REFRIGERANT	R290	R290
GROSS CAPACITY (L)	980	980
NET CAPACITY (L)	-	-
G/N WEIGHT (KG)	150/130	150/130
PRODUCT SIZE (MM)	1210*760*1950	1210*760*1950
TEMP (°C)	-5°C~+10°C	-21°C~-5°C

# KITCHEN REFRIGERATOR AND FREEZER

## FEATURES

- ✔ Full Stainless Steel For External And Internal Material
  - ✔ High Efficient Compressor
  - ✔ Electric Thermostat
  - ✔ Temperature Display
  - ✔ Electric Heating
  - ✔ Self-Evaporating
  - ✔ Wheels For Easy Placement
- Suitable To Keep Fruits, Vegetables, Meat, Fish, Frozen Food, Dairy, Etc. To Be Use In Kitchen, Hotels, Canteen, Restaurants, Central Kitchen, Etc.



MODEL	ACMKR-450FA2C	ACMKR-450FA2D
REFRIGERANT	R290	R290
GROSS CAPACITY (L)	450	450
NET CAPACITY (L)	-	-
G/N WEIGHT (KG)	85/80	85/80
PRODUCT SIZE (MM)	600*755*1925	600*755*1925
TEMP (°C)	-5~10°C	-5~-18°C

**FEATURES**

- ✔ Full Stainless Steel For External And Internal Material
- ✔ High Efficient Compressor
- ✔ Electric Thermostat
- ✔ Temperature Display
- ✔ Electric Heating
- ✔ Self-Evaporating
- ✔ Wheels For Easy Placement
- ✔ Suitable To Keep Fruits, Vegetables, Meat, Fish, Frozen Food, Dairy, Etc. To Be Use In Kitchen, Hotels, Canteen, Restaurants, Central Kitchen, Etc.



MODEL	ACMKR-910FA4S	ACMKR-980FA4C	ACMKR-980FA4D
REFRIGERANT	R290	R290	R290
GROSS CAPACITY (L)	910	980	980
NET CAPACITY (L)	-	-	-
G/N WEIGHT (KG)	125/115	125/115	125/115
PRODUCT SIZE (MM)	1210*755*1925	1210*755*1925	1210*755*1925
TEMP (°C)	-5~10°C/-5~-18°C	-5~-21°C	-5~10°C

**FEATURES**

- ✔ Full Stainless Steel For External And Internal Material
- ✔ High Efficient Compressor
- ✔ Electric Thermostat
- ✔ Temperature Display
- ✔ Electric Heating
- ✔ Self-Evaporating
- ✔ Wheels For Easy Placement
- ✔ Suitable To Keep Fruits, Vegetables, Meat, Fish, Frozen Food, Dairy, Etc. To Be Use In Kitchen, Hotels, Canteen, Restaurants, Central Kitchen, Etc.



MODEL	ACMKR-1530FA6S2	ACMKR-1530FA6C	ACMKR-1530FA6D
REFRIGERANT	R290	R290	R290
GROSS CAPACITY (L)	1490	1530	1530
NET CAPACITY (L)	-	-	-
G/N WEIGHT (KG)	145/135	145/135	145/135
PRODUCT SIZE (MM)	1820*755*1925	1820*755*1925	1820*755*1925
TEMP (°C)	-5~10°C/-5~-21°C	-5~-21°C	-5~10°C



**FEATURES**

- ✔ Full Stainless Steel For External And Internal Material
- ✔ High Efficient Compressor
- ✔ Electric Thermostat
- ✔ Temperature Display
- ✔ Electric Heating
- ✔ Self-Evaporating
- ✔ Wheels For Easy Placement
- ✔ Suitable To Keep Fruits, Vegetables, Meat, Fish, Frozen Food, Dairy, Etc. To Be Use In Kitchen, Hotels, Canteen, Restaurants, Central Kitchen, Etc.



MODEL	ACMKR-260FA2C	ACMKR-360FA2C	ACMKR-470FA2C
REFRIGERANT	R290	R290	R290
GROSS CAPACITY (L)	260	360	470
NET CAPACITY (L)	-	-	-
G/N WEIGHT (KG)	65/60	75/70	85/80
PRODUCT SIZE (MM)	1200*800*800	1500*800*800	1800*800*800
TEMP (°C)	-5~10°C	-5~10°C	-5~10°C

**FEATURES**

- ✔ Full Stainless Steel For External And Internal Material
- ✔ High Efficient Compressor
- ✔ Electric Thermostat
- ✔ Temperature Display
- ✔ Electric Heating
- ✔ Self-Evaporating
- ✔ Wheels For Easy Placement
- ✔ Suitable To Keep Fruits, Vegetables, Meat, Fish, Frozen Food, Dairy, Etc. To Be Use In Kitchen, Hotels, Canteen, Restaurants, Central Kitchen, Etc.



MODEL	ACMKR-260FA2D	ACMKR-360FA2D	ACMKR-470FA2D
REFRIGERANT	R290	R290	R290
GROSS CAPACITY (L)	260	360	470
NET CAPACITY (L)	-	-	-
G/N WEIGHT (KG)	65/60	75/70	85/80
PRODUCT SIZE (MM)	1200*800*800	1500*800*800	1800*800*800
TEMP (°C)	-5~-21°C	-5~-21°C	-5~-21°C

# ICE MAKER



GRAHA TEKNIK MANDIRI



MODEL	AUIM-50B	AUIM-80B	AUIM-100B
REFRIGERANT	R290	R290	R290
OUTPUT(LB/24HR)	110lb=50kg	176lb=80kg	220lb=100kg
BIN CAPACITY (LB)	55lb=25kg	88lb=40kg	40lb=18kg
G/N WEIGHT (KG)	50/45	65/58	67/60
PRODUCT SIZE (MM)	660*635*775	660*635*775	660*635*775



MODEL	AUIM-36P	AUIM-55P
REFRIGERANT	R290	R290
OUTPUT(LB/24HR)	80lb=36 kg	120lb=55 kg
BIN CAPACITY (LB)	33lb=15kg	40lb=18kg
G/N WEIGHT (KG)	40/36	50/45
PRODUCT SIZE (MM)	500*450*800	500*590*850



MODEL	AUIM-95P	AUIM-127P
REFRIGERANT	R290	R290
OUTPUT(LB/24HR)	210lb=95 kg	280lb=127 kg
BIN CAPACITY (LB)	80lb=36kg	80lb=36kg
G/N WEIGHT (KG)	63/57	67/60
PRODUCT SIZE (MM)	660*685*920	660*685*920



MODEL	AUIM-159P	AUIM-318P	AUIM-455P
REFRIGERANT	R404A	R404A	R404A
OUTPUT(LB/24HR)	350lb=159 kg	700lb=318kg	1000lb=455 kg
BIN CAPACITY (LB)	275lbs=125kg	375lbs=170kg	375lbs=170kg
G/N WEIGHT (KG)	54/50 (Main Machine)	71/66 (Main Machine)	90/85 (main machine)
PRODUCT SIZE (MM)	560*830*1718	760*830*1718	760*830*1893

**AUCMA**

# ICE SHAVER



<b>MODEL</b>	<b>AUIS-300</b>
<b>REFRIGERANT</b>	R404A
<b>OUTPUT(LB/24HR)</b>	300 kg
<b>BIN CAPACITY (LB)</b>	170 kg
<b>G/N WEIGHT (KG)</b>	160/150
<b>PRODUCT SIZE (MM)</b>	760*830*1845



<b>MODEL</b>	<b>AUIS-500</b>
<b>REFRIGERANT</b>	R404A
<b>OUTPUT(LB/24HR)</b>	500 kg
<b>BIN CAPACITY (LB)</b>	170 kg
<b>G/N WEIGHT (KG)</b>	233/222
<b>PRODUCT SIZE (MM)</b>	760*830*1950



<b>MODEL</b>	<b>AUIS-800</b>
<b>REFRIGERANT</b>	R404A
<b>OUTPUT(LB/24HR)</b>	800 kg
<b>BIN CAPACITY (LB)</b>	170 kg
<b>G/N WEIGHT (KG)</b>	233/222
<b>PRODUCT SIZE (MM)</b>	760*830*1950



<b>MODEL</b>	<b>AUIS-1000</b>
<b>REFRIGERANT</b>	R404A
<b>OUTPUT(LB/24HR)</b>	1000 kg
<b>BIN CAPACITY (LB)</b>	350 kg
<b>G/N WEIGHT (KG)</b>	350/330
<b>PRODUCT SIZE (MM)</b>	1225*973*2195



<b>MODEL</b>	<b>AUIS-1200</b>
<b>REFRIGERANT</b>	R404A
<b>OUTPUT(LB/24HR)</b>	1200 kg
<b>BIN CAPACITY (LB)</b>	350 kg
<b>G/N WEIGHT (KG)</b>	360/340
<b>PRODUCT SIZE (MM)</b>	1225*973*2195



<b>MODEL</b>	<b>AUIS-1500</b>
<b>REFRIGERANT</b>	R404A
<b>OUTPUT(LB/24HR)</b>	1500 kg
<b>BIN CAPACITY (LB)</b>	350 kg
<b>G/N WEIGHT (KG)</b>	380/350
<b>PRODUCT SIZE (MM)</b>	1225*973*2195



# WINE COOLER

## FEATURES

- ✔ Full Glass Door
- ✔ Electronic Controller With LED Display
- ✔ Available In Single/Double Zone  
Temperature (Depend On Models)
- ✔ Wooden Shelves
- ✔ Plastic Door With Recessed Handle



MODEL	JC-67	JC-107	JC-107B	JC-127
REFRIGERANT	R600A	R600A	R600A	R600A
GROSS CAPACITY (L)	70	110	110	130
NET CAPACITY (L)	65	100	100	120
G/N WEIGHT (KG)	32/29	35/33	36,5/36,5	40/38
PRODUCT SIZE (MM)	295*570*880	395*580*840	395*580*840	495*580*840
TEMP (°C)	5-18°C	5-18°C	Upper 5-10°C, Down 10-18°C	5-18°C

## FEATURES

- ✔ Full Glass Door
- ✔ Electronic Controller With LED Display
- ✔ Available In Single/Double Zone  
Temperature (Depend On Models)
- ✔ Wooden Shelves
- ✔ Plastic Door With Recessed Handle



MODEL	JC-127B	JC-167	JC-167B
REFRIGERANT	R600A	R600A	R600A
GROSS CAPACITY (L)	130	170	170
NET CAPACITY (L)	120	160	160
G/N WEIGHT (KG)	46/43	47/45	50/48
PRODUCT SIZE (MM)	495*580*840	395*580*1275	395*580*1275
TEMP (°C)	Upper 5-10°C, Down 10-18°C	5-18°C	Upper 5-10°C, Down 10-18°C



# LTUF (SS304 & SS201)

## FEATURES

- ✔ Reliable Compressor
- ✔ SS201/304 Material
- ✔ Quick Freezing



MODEL	DW-05FCRT (SS304)	DW-10FCRT (SS304)	DW-14FCRT (SS304)
REFRIGERANT	R404A	R404A	R404A
GROSS CAPACITY (L)	230	420	580
NET CAPACITY (L)	222	415	569
G/N WEIGHT (KG)	132/119	175/162	228/210
PRODUCT SIZE (MM)	820*930*1070	820*930*1520	820*930*1920
TEMP (°C)	5°C~-45°C	5°C~-45°C	5°C~-45°C

## FEATURES

- ✔ Reliable Compressor
- ✔ SS201/304 Material
- ✔ Quick Freezing



MODEL	DW-05FCRT-L (SS201)	DW-10FCRT-L (SS201)	DW-14FCRT-L (SS201)
REFRIGERANT	R404A	R404A	R404A
GROSS CAPACITY (L)	230	420	580
NET CAPACITY (L)	222	415	569
G/N WEIGHT (KG)	118/108	154/144	190/173
PRODUCT SIZE (MM)	800*850*1110	800*850*1560	800*850*1980
TEMP (°C)	-40°C	-40°C	-40°C

# OPEN SHOWCASE

## FEATURES

- ✔ LED Lamp On Every Shelf
- ✔ Electric Controller
- ✔ Reliable Compressor
- ✔ Environmentally Friendly Refrigerant
- ✔ Double Layer Tempered Side Glass
- ✔ Wheels




MODEL	IVC-M960A	IVC-M1860A
REFRIGERANT	R290	R290
GROSS CAPACITY (L)	500	1000
NET CAPACITY (L)	480	960
G/N WEIGHT (KG)	100/90	140/130
PRODUCT SIZE (MM)	960*750*2000	1860*750*2000
TEMP (°C)	2-8°C	2-8°C

# CAKE SHOWCASE

## FEATURES

- ✔ Stainless Steel Base
- ✔ Air Cooling System
- ✔ Rear Open Mode
- ✔ 5 Sides Glass



- ✔ Curve Front Glass
- ✔ LED Lamp
- ✔ Rear Door Opening
- ✔ Suitable For Display Cake, Etc.



MODEL	CS1200-SBID	CS-12XM	CS-18XM
REFRIGERANT	R290	R290	R290
GROSS CAPACITY (L)	137	280	400
NET CAPACITY (L)	-	260	380
G/N WEIGHT (KG)	-	80/70	128/110
PRODUCT SIZE (MM)	550*600*1200	1200*670*1190	1800*670*1190
TEMP (°C)	2-8 °C	2-8°C	2-8°C



# CHOCOLATE CHILLER

## FEATURES

- ✔ Low E Glass Door With Handle
- ✔ Easy Operate Mechanical Controller
- ✔ Compact Design
- ✔ Environmentally Friendly Refrigerant
- ✔ Include Shelves



MODEL	SC-18	SC-50
REFRIGERANT	R600A	R600A
GROSS CAPACITY (L)	20	50
NET CAPACITY (L)	18	46
G/N WEIGHT (KG)	20/16	25/21
PRODUCT SIZE (MM)	415*415*400	415*525*537
TEMP (°C)	0-10°C	5-15°C

# BTL BEER CABINET

## FEATURES

- ✔ Food Grade Stainless Steel Material
- ✔ Luxury Appearance
- ✔ Environmentally Friendly Refrigerant
- ✔ Include Bottle Opener



MODEL	ABTL-1000	ABTL-1500	ABTL-2000
REFRIGERANT	R134A	R134A	R134A
GROSS CAPACITY (L)	260	420	590
NET CAPACITY (L)	252	415	570
G/N WEIGHT (KG)	67/55	93/72	112/86
PRODUCT SIZE (MM)	1000*575*865	1500*575*865	2000*575*865
TEMP (°C)	0°~ 8°C	0°~ 8°C	0°~ 8°C



GRAHA TEKNIK MANDIRI

## OFFICE & SHOWROOM

Plaza Amsterdam Blok A No 19, Sentul City,  
Citaringgul, Babakan Madang, Bogor 16810 Indonesia



SERVICE CENTER  
**0812-9203-7902**



SALES CENTER  
**0811-1230-0928**



[grahateknikmandiri.com](http://grahateknikmandiri.com)